

PREMIER

1. Product and Company Identification

Product Code: 4585
 Product Name: PREMIER
 Revision: 07/06/2017
 Supersedes Revision: 10/11/2016

Manufacturer Information:

Company Name: PDQ Manufacturing, Inc. Phone Number: (706)636-1848
 201 Victory Circle

Ellijay, GA 30540

Web site address: www.pdqonline.com

Emergency Contact: Chemtrec (800)424-9300
 Information: info@pdqonline.com (706)636-1848

Supplier Name and Address:

Company Name: HEALTH LAB/MEMTEC SERVICE Phone Number: 717/292-9353
 182 S. PEIFFER ROAD

WELLSVILLE, PA 17365

2. Hazards Identification

Serious Eye Damage/Eye Irritation, Category 2



GHS Signal Word: Warning

GHS Hazard Phrases: H319 - Causes serious eye irritation.

GHS Precaution Phrases: P264 - Wash hands thoroughly after handling.
 P280 - Wear eye protection.

GHS Response Phrases: P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison control center or physician for treatment advice. Have product container or label with you when calling poison control center or physician.
 P337+313 - If eye irritation persists, get medical advice/attention.

GHS Storage and Disposal Phrases: No phrases apply.

Potential Health Effects (Acute and Chronic):

Inhalation: Irritating to respiratory system.

Skin Contact: Causes skin irritation.

Eye Contact: Causes eye irritation.

Ingestion: May be harmful if swallowed.

3. Composition/Information on Ingredients

CAS #	Hazardous Components (Chemical Name)	Concentration
68987-81-5	Alkoxylated linear alcohol	<20.0 %
1300-72-7	Sodium xylenesulfonate	7.0 -15.0 %

PREMIER

4. First Aid Measures**Emergency and First Aid****Procedures:**

- In Case of Inhalation:** If breathed in, move person into fresh air.
- In Case of Skin Contact:** Wash off with soap and plenty of water.
- In Case of Eye Contact:** Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
- In Case of Ingestion:** Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

Signs and Symptoms Of Exposure: To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

5. Fire Fighting Measures

Flash Pt: ~ 200.00 F Method Used: Estimate

Explosive Limits: LEL: N/A UEL: N/A

Autoignition Pt: NP

Suitable Extinguishing Media: Use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam.

Fire Fighting Instructions: As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Material will not burn.

Flammable Properties and Hazards: No data available.

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled: Use proper personal protective equipment as indicated in Section 8. Spills/Leaks: Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Personal precautions.

7. Handling and Storage

Precautions To Be Taken in Handling: No special handling procedures are required. Avoid contact with skin and eyes.

Precautions To Be Taken in Storing: No special storage requirements.

8. Exposure Controls/Personal Protection

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
68987-81-5	Alkoxylated linear alcohol	No data.	No data.	No data.
1300-72-7	Sodium xylenesulfonate	No data.	No data.	No data.

Respiratory Equipment (Specify Type): Respirator protection is not normally required.

Eye Protection: Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Protective Gloves: Protective garments not normally required.

Other Protective Clothing: Protective garments not normally required.

Engineering Controls (Ventilation etc.): There are no special ventilation requirements.

Work/Hygienic/Maintenance Practices: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

PREMIER

9. Physical and Chemical Properties

Physical States: [] Gas [X] Liquid [] Solid
Appearance and Odor: .Clear teal liquid
 Surfactant odor.
Melting Point: NA
Boiling Point: 100.00 C
Decomposition Temperature: NA
Autoignition Pt: NP
Flash Pt: ~ 200.00 F Method Used: Estimate
Explosive Limits: LEL: N/A UEL: N/A
Specific Gravity (Water = 1): ~ 1.000
Vapor Pressure (vs. Air or mm Hg): 17.5 MM_HG at 20.0 C
Vapor Density (vs. Air = 1): NA
Evaporation Rate: NA
Solubility in Water: Complete
Viscosity: 1 CP at 20.0 C
pH: ~ 4.5-5.5 - @ 0.025%
Percent Volatile: No data.

10. Stability and Reactivity

Stability: Unstable [] Stable [X]
Conditions To Avoid - Instability: No data available.
Incompatibility - Materials To Avoid: Strong oxidizing agents.
Hazardous Decomposition or Byproducts: formed under fire conditions. Carbon oxides, Sulphur oxides, Sodium oxides.
Possibility of Hazardous Reactions: Will occur [] Will not occur [X]
Conditions To Avoid - Hazardous Reactions: No data available.

PREMIER

11. Toxicological Information**Toxicological Information:** No data available.**Irritation or Corrosion:** No data available.

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
68987-81-5	Alkoxyated linear alcohol	n.a.	n.a.	n.a.	n.a.
1300-72-7	Sodium xylenesulfonate	n.a.	n.a.	n.a.	n.a.

12. Ecological Information

No data available.

Persistence and Degradability: No data available.**Bioaccumulative Potential:** No data available.**Mobility in Soil:** No data available.**13. Disposal Considerations**

Waste Disposal Method: Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

14. Transport Information**LAND TRANSPORT (US DOT):****DOT Proper Shipping Name:** Not regulated as a hazardous material.**DOT Hazard Class:** NA None**UN/NA Number:****15. Regulatory Information****EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists**

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
68987-81-5	Alkoxyated linear alcohol	No	No	No
1300-72-7	Sodium xylenesulfonate	No	No	No

CAS # Hazardous Components (Chemical Name)**Other US EPA or State Lists**

68987-81-5 Alkoxyated linear alcohol

CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No

1300-72-7 Sodium xylenesulfonate

CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No

PREMIER


16. Other Information

Revision Date: 07/06/2017
 Preparer Name: Regulatory Affairs

Hazard Rating System:

HEALTH		1
FLAMMABILITY		0
REACTIVITY		0
PPE		A

HMIS:



Additional Information About This Product: No data available.

This Product:

Company Policy or

Disclaimer:

The information contained in this Safety Data Sheet is provided pursuant to current OSHA regulations to convey information concerning the hazardous nature of the named product. The information supplied was compiled from the most reliable sources available at the time of preparation and in light of the most reasonable foreseeable exposure situations expected from the intended use of this product. The material(s) may present greater or lesser hazard exposure under other circumstances that are beyond the control of the manufacturer. Therefore it is imperative that all directions and warnings on the product label be read and closely followed.